



ICD-11 GENERELLE PRINCIPPER OG ÆNDRINGER






PROGRAM

- 9.00 - 9.15 Generelle principper for ICD-11 og ændringer i forhold til ICD-10 v. René Ernst Nielsen
- 9.15 - 9.35 Klassifikation af personlighedsforstyrrelser v. Bo Bach
- 9.35 - 9.55 Klassifikation af autisme v. Niels Bilenberg
- 9.55 - 10.15 Generel diskussion ved panelet og spørgsmål



ICD- Number of codes by ICD revision





GENERELT

- Essential features (*væsentlige (nødvendige) karakteristika*)
- Course qualifiers (*forløbsspecifikationer*)
- Course features (*karakteristiske forløb*)
- Developmental presentations (*udviklingsmæssige forhold*)
- Culture-related features (*kulturrelaterede karakteristika*)
- Gender-related features (*kønnsforskelle og/eller kønsrelaterede karakteristika*)
- Boundaries to other disorders (*afgrænsning til andre lidelser og tilstande (differentialdiagnose)*)



ÆNDRINGER

- BU kapitler i ICD-10 fjernes i ICD-11
- Funktionspåvirknings gøres eksplicit og anvendes delvist til vurdering af sværhedsgrad
- Forløbsbeskrivelse i diagnosekode



FORLØBSBESKRIVELSE



FORLØBSBESKRIVELSE

- 6A20.0 Schizophrenia, first episode
 - 6A20.00 Schizophrenia, first episode, currently symptomatic
 - 6A20.01 Schizophrenia, first episode, in partial remission
 - 6A20.02 Schizophrenia, first episode, in full remission
- 6A20.1 Schizophrenia, multiple episodes
- 6A20.2 Schizophrenia, continuous



FORLØBSBESKRIVELSE

- 6A60.0 Bipolar Type I Disorder, Current Episode Manic, without psychotic symptoms
- 6A60.1 Bipolar Type I Disorder, Current Episode Manic, with psychotic symptoms
- 6A60.2 Bipolar Type I Disorder, Current Episode Hypomanic
- 6A60.3 Bipolar Type I Disorder, Current Episode Depressive, Mild
- 6A60.4 Bipolar Type I Disorder, Current Episode Depressive, Moderate, without psychotic symptoms
- 6A60.5 Bipolar Type I Disorder, Current Episode Depressive, Moderate, with psychotic symptoms
- 6A60.6 Bipolar Type I Disorder, Current Episode Depressive, Severe, without psychotic symptoms
- 6A60.7 Bipolar Type I Disorder, Current Episode Depressive, Severe, with psychotic symptoms
- 6A60.8 Bipolar Type I Disorder, Current Episode Depressive, Unspecified Severity



FORLØBSBESKRIVELSE

- 6A60.9 Bipolar Type I Disorder, Current Episode Mixed, without psychotic symptoms
- 6A60.A Bipolar Type I Disorder, Current Episode Mixed, with psychotic symptoms
- 6A60.B Bipolar Type I Disorder, currently in partial remission, most recent episode Manic or Hypomanic
- 6A60.C Bipolar Type I Disorder, currently in partial remission, most recent episode Depressive
- 6A60.D Bipolar Type I Disorder, currently in partial remission, most recent episode Mixed
- 6A60.E Bipolar Type I Disorder, currently in partial remission, most recent episode unspecified
- 6A60.F Bipolar Type I Disorder, currently in full remission



AFFEKTIVE EPISODER

Depressiv episode

Hypomanisk episode

Manisk episode

Blandingsepisode



DEPRESSIV EPISODE

Affektivt symptomklynge

Nedtrykthed
Nedsat lyst og interesse

Kognitiv-adfærds symptomklynge

Tænke- og koncentrationsbesvær
Nedsat selvtillid/selværd eller selvbebrejdelser
Håbløshed
Tilbagevendende tanker om død eller selvmord

Neurovegetativt symptomklynge

Søvnforstyrrelser
Ændringer i appetit eller vægt
Agitation eller hæmning
Nedsat energi, udmattelse eller træthed

Depressiv episode: tilstedeværelse af **mindst fem ud af ti symptomer**. Mindst et fra det affektive cluster.
Sværhedsgrad defineres ud fra funktionspåvirkning



SVÆRHEDSGRAD

Mild Depressive Episode:

- Moderate Depressive Episode without Psychotic Symptoms:

- Several symptoms of a Depressive Episode are present to a marked degree, or

- Moderate Depressive Episode with Psychotic Symptoms:

- Several symptoms of a Depressive Episode are present to a marked degree, or a large number of depressive symptoms of lesser severity are present overall

- Severe Depressive Episode without Psychotic Symptoms:

- Many or most symptoms of a Depressive Episode are present to a marked

- Severe Depressive Episode with Psychotic Symptoms:

- Many or most symptoms of a Depressive Episode are present to a marked degree, or a smaller number of symptoms are present and manifest to an intense degree.
- The individual has serious difficulty continuing to function in most domains (personal, family, social, educational, occupational, or other important domains).
- There are delusions or hallucinations during the episode.



QUALIFIERS

- Med prominente angstsymptomer
- Med panikanfald
- Nuværende depressive episode persisterende
- Nuværende depressive episode persisterende med melankoli
- Med sæsonbetinget variation
- Med rapid cycling
- Tilstande associeret med graviditet, fødsels eller puerperium, uden psykotiske symptomer
- Tilstande associeret med graviditet, fødsels eller puerperium, med psykotiske symptomer

Udkast til tidsplan for den samlede ICD-11 indsats

